Residential Masonry Wall/Fence Quality Submittal Guidelines



This packet applies ONLY if:

- The proposed walls/fences are less than or equal to 6' high
- This property is NOT within the Cactus Corridor (Loop 101 to FLW Blvd, Shea to Thunderbird)
- For properties in the ESL area where the wall locations and details are approved on the subdivision grading & drainage plan.



General Information for Walls/Fences

PLEASE NOTE: This packet includes minimum requirements for the construction of residential walls/fences for non-ESL lots, and walls/fences not located within the Cactus Corridor.

Stepping through the approval process:

PLAN REVIEW → PERMIT → INSPECTIONS

1. PLAN REVIEW

- **Provide 3 site plans** (see example and attached minimum requirements). *Incomplete site plans will not be accepted.*
- **Provide copy of wall detail** to be used for construction. The attached standard building plans are for your use. Note: The wall height dimensions cannot exceed the detail as shown.

2. PERMIT

<u>Please note the following requirements for obtaining minor addition, remodel, or wall permits</u> over the counter:

- Plan review fees, if required, must be paid for the same day the plans are reviewed or submitted for review. This is true whether permits are issued that day or not.
- Permits can only be signed for by property owners or licensed contractors. All other persons
 involved with the project (including but not limited to relatives, architects, designers or
 construction managers) must have a statement signed by the property owner naming who has
 permission to sign and receive documents on the owner's behalf to obtain plan reviews and
 building permits at the City of Scottsdale
- On permits not listing a licensed contractor, an owner-occupied single family residence property owner can do the work themselves or act as their own general contractor and hire subcontractors to do the work. When choosing to do the work themselves, or to act as their own general contractor, the property owner or designee (see item above) must sign the "Owner-Builder Declaration form" required by the Tax Audit Division of the City of Scottsdale. For detailed information about this form call 480-312-2400 or visit www.scottsdaleaz.gov/taxes.

3. INSPECTIONS

• An inspection card will be issued detailing the required inspections. The typical inspections are: footing, masonry grout, masonry bond beam, and final inspection. Note: actual inspections may vary depending on your project.

Additional Information:

- A building permit is required for the construction of new walls/fences, taller than 3 feet, including wood & corral fencing, adding additional height to an existing wall, or repair of damage to an existing wall (i.e. vehicle accident).
- Wall/fence height is measured from inside of enclosure from natural grade.
- A courtesy site plan review is recommended for walls 3 feet tall, or less, to verify location is compliant with the Zoning Ordinance and does not conflict with any easements.
- Walls/fences, including the associated footings, are permitted to be constructed on/or within property lines. If the wall/fence, including associated footings, is proposed to be constructed on the property line, written neighbor authorization is required. (see attached) The City does not get involved in property line disputes related to fence and footing locations, or fence ownership. These disputes are civil matters and must be resolved between the concerned parties.
- If a wall/fence is proposed within a public utility easement, written authorization is required from each utility company at the time of plan review. (see attached)
- **ABBREVATIONS: O.C.**=ON CENTER, **C/L**=CENTERLINE, **BSL**=BUILDING SETBACK LINE, **P.U.E.**=PUBLIC UTILITY EASEMENT

Ouestions? 480-312-2500

SITE PLAN **EXAMPLE ONLY**

ADDRESS:

APN: Q.S.:

SUBDIVISION:

LOT:

ZONING:

LOT AREA:

TOTAL EXISTING SQ FT: 2,631

PROPOSED:

NEW PATIO: 225 SQ FT

NEW WALL: 75 LINEAL FT

PLEASE NOTE:


- SITE PLAN MUST MATCH CONFIGURATION FOR YOUR LOT AND MUST BE SCALED
- IF PROPOSED WALL IS ON THE PROPERTY LINE, MUST PROVIDE NEIGHBORING PROPERTY OWNER WRITTEN AUTHORIZATION
- IF PROPOSED WALL IS IN A PUBLIC UTILITY EASEMENT, WRITTEN AUTHORIZATION IS REQUIRED FROM ALL UTILITY COMPANIES


PROVIDE 3 COPIES OF SITE PLAN


WEBSITES FOR REFERENCE:

http://eservices.scottsdaleaz.gov/dmc/liw.aspx

http://www.maricopa.gov/asseessor/







Community Number	Panel Number	Panel Date	Suffix	FIRM Date	FIRM Zone	Base Flood Elevation (AO Zone, use depth)
045012	2160	9/30/05	F	9/30/05	Χ	N/A



Planning Site Plan Checklist

Over-the-counter Reviews Only

Site plan must show entire lot and be to scale. Examples of acceptable scales are 1"=10', 1"=20', and 1/8"=1'. Site plan must be legible and scale shall accurately reflect parcel configuration. Provide three copies of site plan. Site plans for walls alone shall be required to provide only the items listed with an asterisk (*).

<u> </u>	*Provide Zoning *Site address, assessor's parcel number (APN), Q.S., lot & subdivision
	*North arrow
	*Written and graphic scale
	*Label Lot dimensions
ğα.	*Identify street dimensions and sidewalk improvements
WALLS	*Label and dimension all easements (represent on plan with dashed lines)
Ş□	*Label and dimension all required setbacks to the property line
	*Label and dimension all proposed setbacks (property line to structure, and all distances between structures)
	*Include FEMA block. Additions that are located within a flood zone or are adjacent to washes cannot be reviewed without approval from Stormwater Management staff. This information can be obtained by calling Records dept. at 480-312-2356
	Vicinity Map
	Net Lot Area
	Provide total square footage calculations for all existing improvements including livable area, garages, patios and detached structures
	Provide total square footage data for all proposed additions
	Provide all wall and retaining wall heights, both existing and proposed by elevation or footage; provide means to convey drainage through wall/fence as required
	Retaining walls need approval by engineering
	Identify lowest floor elevations on plan (88 Datum) (If attached bldg dept. checks it matches existing; if detached, planning dept. checks, see engineering for approval)
	Provide three top of curb elevations to verify building height compliance (If no curb, provide edge of road/pavement)
	Call out height and/or elevation of roof parapets and ridges on the elevation sheet
	NOTE: All exterior light fixtures which contain light bulbs of 100 watts or greater shall be fully shielded and directed downward.
	NOTE: All mechanical equipment (air condition, pool equip. etc.) shall be screened a min. of 1' above the highest portion of the equipment from all sides and shall be compatible with adjacent building. Show the location on the site plan.
	NOTE: Guesthouse shall never be offered for rent. Guest homes on lots under 35,000 sq. ft. may not provide cooking facilities.
	Comply with the City of Scottsdale Native Plant Ordinance. Show location of all protected species on the site plan. Provide native plant inventory as performed by a City of Scottsdale approved salvage contractor. Identify name of salvage contractor. If no protected plants exist, provide NOTE: No protected native plants will be affected by construction.

Planning & Development Services Department

7447 E. Indian School Road, Suite 105, Scottsdale, AZ 85251 + Phone: 480-312-7000 + Fax: 480-312-7088



Fence/Wall on Common Property Line

Neighboring Property Owner Authorization

Authorization is required to be signed by all affect	ted property owners.
Applicant Name:	
Applicant Address:	
Outlies to Description Andreas and	
I hereby authorize my neighbor (above) to construct a fence/wa	all on our common property line.
I acknowledge that the construction of such wall will require fo	otings that extend into my
property and that workers will require access to my property de	uring construction.
Neighbor Name (please print):	
Neighboring Property Address:	
Neighbor Signature:	Date:
Maintenance of the fence/wall will be the responsibility of:	
☐ Both property owners jointly	
☐ Solely the responsibility of:	
Neighbor Name (please print):	
Neighboring Property Address:	
Neighbor Signature:	Date:
Maintenance of the fence/wall will be the responsibility of:	
☐ Both property owners jointly	
☐ Solely the responsibility of:	
Neighbor Name (please print):	
Neighboring Property Address:	
Neighbor Signature:	
Maintenance of the fence/wall will be the responsibility of:	
☐ Both property owners jointly	
☐ Solely the responsibility of:	

Planning & Development Services Department

7447 E Indian School Road Ste 105, Scottsdale, AZ 85251 • Phone: 480-312-2500 • Fax: 480-312-7088

Utility Provider Contact Information

If wall/fence is proposed within a public utility easement, written authorization is required from each of the following service providers:

Utility Company	Contact	Phone	Fax	E-Mail
APS	Michael Bouche	602-371-7033	602-371-6586	michael.bouche@aps.com
SRP	Matt Streeper	602-236-3105	602-236-8193	matt.streeper@srpnet.com
Century Link	Chris Lertique	602-630-1825	480-630-1715	bics@centurylink.com
City Water Dept.	Doug Mann	480-312-5636	480-312-5615	dmann@scottsdaleaz.gov
Cox Communications	Traffic Management Center	623-328-3554	623-322-7500	phx.tmc@cox.com
Southwest Gas	Greg Cooper	602-484-5276	866-747-1155	greg.cooper@swgas.com

Updated July 2014

FEMA BLOCK

In accordance with FEMA and City requirements, the following information must be included on the cover sheet of all plans which establish lowest floor elevations and flood-proofing elevations for both residential and non-residential structures.

FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Community	Panel	Panel	Suffix	FIRM	FIRM	Base Flood Elevation
Number	Number	Date		Date	Zone	(AO Zone, use depth)
045012						

..........

Engineer's Certification:

The lowest floor elevation(s) and/or flood-proofing elevation(s) on this plan are sufficiently high to provide protection from flooding caused by a one hundred year storm, and are in accordance with City of Scottsdale Revised Code, Chapter 37-Floodways & Floodplains Ordinance.

* PLEASE NOTE *

From the Code of Federal Rules- 44CFR 65.2 Certification of data is a statement that the data is accurate to the best of the certifier's knowledge.

- * Certification analysis is a statement that the analysis have been performed correctly and in accordance with sound engineering practices.
- * Certification of structural works is a statement that the works are designed in accordance with sound engineering pratices to provide protection from the base flood.
 - * Certification of "as built" conditions is a statement that the structure(s) has been built according to the plans being certified is in place and is fully functioning.

- THIS DETAIL SHALL APPLY TO WALLS 6'-0" OR LESS IN HEIGHT.
- SEPARATE APPROVAL BY THE PLANNING DEPARTMENT IS REQUIRED.
- SEPARATE APPROVAL BY THE STORMWATER DEPARTMENT IS REQUIRED.
- INDICATE DRAIN BLOCKS AT FINISH GRADE, AS REQUIRED, ON FINAL PLANS.

L D.C. MAX.

ELEVATION

(B)

- THE CITY OF SCOTTSDALE MAKES NO REPRESENTATIONS AND ASSUMES NO RESPONSIBILITY OR LIABILITY IN PROVIDING THIS STANDARD DETAIL. OWNERS/APPLICANTS AND PROFESSIONALS USING THIS DETAIL SHALL ASSUME FULL RESPONSIBILITY FOR ITS DESIGN.
- OWNERS/APPLICANTS ARE ENCOURAGED TO CONSULT WITH A PROFESSIONAL ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA REGARDING THE NEEDS FOR THEIR PROJECT. AN ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA COULD DETERMINE DIFFERENT DETAILS OR SPECIFICATIONS.
- OWNER/APPLICANT/BUILDER IS RESPONSIBLE FOR VERIFYING SOIL CONDITIONS AT THE FOOTING'S BEARING SURFACE AND IS SOLELY RESPONSIBLE FOR THE PERFORMANCE OF FOOTING.

8"X16"X4" CMU

Sv D.C.

2-#5 REBAR IN GROUTED CELL AT PILASTER

FINISH

GRADE

8"X10"

BEYOND

#9 GAUGE LADDER TYPE HORIZ, JOINT REINFORCEMENT @

4" MASONRY WALL

"DOOLEY WALL"

MATERIALS

CMU: f'm = 1500 psi NORMAL WEIGHT

MORTAR: ASTM TYPE S

GROUT: f'c = 2000 psi

REINFORCING: fy = 40,000psi


CONCRETE: 2500psi

HORIZONTAL JOINT


REINFORCEMENT: fy = 80,000psi

WALL DESIGN OPTIONS

OPTION	L	<u>Sv</u>	<u>d</u>
Α	9'-4"	8"	4'
В	8'-0"	16"	3'-6"



CROSS SECTION AT PILASTER



Revised 6/1/2009

- THIS DETAIL SHALL APPLY TO WALLS 6'-0" OR LESS IN HEIGHT.
- SEPARATE APPROVAL BY THE PLANNING DEPARTMENT IS REQUIRED.
- SEPARATE APPROVAL BY THE STORMWATER DEPARTMENT IS REQUIRED.
- INDICATE DRAIN BLOCKS AT FINISH GRADE, AS REQUIRED. ON FINAL PLANS.

CONSTRUCTION JOINT IN WALL

- THE CITY OF SCOTTSDALE MAKES NO REPRESENTATIONS AND ASSUMES NO RESPONSIBILITY OR LIABILITY IN PROVIDING THIS STANDARD DETAIL. OWNERS/APPLICANTS AND PROFESSIONALS USING THIS DETAIL SHALL ASSUME FULL RESPONSIBILITY FOR ITS DESIGN.
- OWNERS/APPLICANTS ARE ENCOURAGED TO CONSULT WITH A PROFESSIONAL ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA REGARDING THE NEEDS FOR THEIR PROJECT. AN ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA COULD DETERMINE DIFFERENT DETAILS OR SPECIFICATIONS.
- OWNER/APPLICANT/BUILDER IS RESPONSIBLE FOR VERIFYING SOIL CONDITIONS AT THE FOOTING'S BEARING SURFACE AND IS SOLELY RESPONSIBLE FOR THE PERFORMANCE OF FOOTING.

6" MASONRY WALL

PER 2006 IBC

WIND LOAD: 15 psf per ASCE 7-05

CMU: f'm = 1350 psi


MORTAR: ASTM TYPE S

GRDUT: f'c = 2000 psi

REINFORCING: f'y = 40,000psi

CONCRETE: 2000psi

LADDER REINFORCING: f'y = 80,000 psi



- THIS DETAIL SHALL APPLY TO WALLS 6'-0" OR LESS IN HEIGHT.
- SEPARATE APPROVAL BY THE PLANNING DEPARTMENT IS REQUIRED.
- SEPARATE APPROVAL BY THE STORMWATER DEPARTMENT IS REQUIRED.
- INDICATE DRAIN BLOCKS AT FINISH GRADE, AS REQUIRED. ON FINAL PLANS.
- THE CITY OF SCOTTSDALE MAKES NO REPRESENTATIONS AND ASSUMES NO RESPONSIBILITY OR LIABILITY IN PROVIDING THIS STANDARD DETAIL. OWNERS/APPLICANTS AND PROFESSIONALS USING THIS DETAIL SHALL ASSUME FULL RESPONSIBILITY FOR ITS DESIGN.
- OWNERS/APPLICANTS ARE ENCOURAGED TO CONSULT WITH A PROFESSIONAL ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA REGARDING THE NEEDS FOR THEIR PROJECT. AN ENGINEER OR ARCHITECT LICENSED BY THE STATE OF ARIZONA COULD DETERMINE DIFFERENT DETAILS OR SPECIFICATIONS.
- OWNER/APPLICANT/BUILDER IS RESPONSIBLE FOR VERIFYING SOIL CONDITIONS AT THE FOOTING'S BEARING SURFACE AND IS SOLELY RESPONSIBLE FOR THE PERFORMANCE OF FOOTING.

8" MASONRY WALL

PER 2006 IBC

WIND LOAD: 15 psf per ASCE 7-05

CMU: f'm = 1350 psi


MORTAR: ASTM TYPE S

GRDUT: f'c = 2000 psi

REINFORCING: f'y = 40,000psi

CONCRETE: 2000psi

LADDER REINFORCING: f'y = 80,000 psi





Application for Permitting

All Project Types - Excludes Demo, Fire, Pools & Backflow Preventer

*PROJECT ADDRESS:	Suite #	Unit #
Subdivision:		Lot #:
Zoning District(s): Parcel	Number(s):	
Quarter Section(s): Flood 2	Zone(s):	
*PROJECT NAME:		· · · · · · · · · · · · · · · · · · ·
*Associated Plan/Case Numbers		(If Applicable)
*PERMIT/PLAN TYPE: (Check all that apply) Revision to Approved Plan?	s 🗌 No Green Buildi i	ng Program? ☐ Yes ☐ No
SINGLE FAMILY RESIDENTIAL:		
☐ New SFR ☐ Remodel ☐ Addition ☐ New S	SFR Standard	House
Minimum: ☐ Mechanical ☐ Plumbing ☐ Elec	trical 🗌 Building 🔲	Combo
COMMERCIAL: New Commercial New Shell Interior Remodel Exterior Remodel	•	
Minimum:		
CIVIL: Number of Sheets		
☐ Grading ☐ Drainage ☐ Water ☐ Sewer	☐ Paving ☐ Con	crete
☐ Utilities ☐ Landscaping/Misc. ☐ Misc Row B	Encroachment	F Cellular
MULTI FAMILY: Number of Units	☐ Condominium	Townhouse
LAND DIVISION/MAP OF DEDICATION: Number of Sheets _		
☐ Final Plat ☐ Minor Subdivision	Revision	
☐ Full Subdivision ☐ Easements & ROW MOD	☐ Condo Plat	
*Scope of work:		·····
*PROJECT SQ FOOTAGE COMMERCIAL & RESIDENTIAL	.: Lot Sq Ft	NAOS Sq Ft
New A/C New Non A/C Remod	el A/CRemo	odel Non A/C
Addition A/C Fe	nce LF Reta	ining Wall LF
Guest House A/C Guest House Non A/C _		
*PROJECT DETAILS COMMERCIAL: Occupant Type	Construction Type	Occupant Load

Planning and Development Services

7447 E Indian School Road, Suite 100, Scottsdale, AZ 85251 • Phone: 480-312-2500 • Fax: 480-312-7088



Application for Permitting

All Project Types - Excludes Demo, Fire, Pools & Backflow Preventer

*Property Owner:		Contractor:		
Address:		Address:		
CityState_		City	State	Zip
Phone: Fax		Phone:	Fax: _	
Email:		Email:		
		Roc#	COS Tax Lice	nse#
Architect:		_ Civil Engineer:		
Company:				
Address:				
City State_			State	Zip
Phone: Fax	«:	Phone:	Fax: _	
Email:		Email:		
PLANS & PERMITS WILL ONLY BE REPERSONS NOT LISTED AS CONTAC *Applicant Contact: *	T WILL REQUIRE AUI	THORIZATION LETTERCompany:	R FROM THE CONTAC	T PERSON LISTED.
*E-mail:				
Address:		_City	State	Zip
*Others authorized to pick up pla I (the undersigned) understand and agre responsibility that this work will be done in further agree that the Scottsdale Inspectic County and City laws and regulations no days after the last plan submittal.	e that the issuance of to conformity with the law cons Division has the aut	he permit for which I ar ws of the City of Scottso thority to enforce adop	m applying does not relievatele, Maricopa County ar ted building codes and a	ve me of the nd the State of Arizona. I appropriate State,
		_ OR		
*Owner Signature	Date	OR*Applicant Sig	gnature	Date
*Owner Signature	 Date		gnature	Date
*Owner Signature	Date		gnature	Date

Planning and Development Services
7447 E Indian School Road, Suite 100, Scottsdale, AZ 85251 • Phone: 480-312-2500 • Fax: 480-312-7088